

ARG21692 Goat anti-Rat IgG antibody (Biotin), pre-adsorbed

Package: 500 µg
Store at: 4°C

Summary

Product Description	Biotin-conjugated Goat Polyclonal antibody recognizes Rat IgG
Tested Reactivity	Rat
Tested Application	ELISA, FACS, FLISA, ICC/IF, IHC-Fr, WB
Specificity	The antibody reacts with the heavy chain of Rat IgG. The antibody is pre-adsorbed with Rat IgM, so the antibody may not react with Rat IgM, but may react with immunoglobulins from other species.
Host	Goat
Clonality	Polyclonal
Isotype	IgG
Target Name	IgG
Species	Rat
Conjugation	Biotin

Application Instructions

Pre Adsorbed	Rat IgM.														
Application table	<table><thead><tr><th>Application</th><th>Dilution</th></tr></thead><tbody><tr><td>ELISA</td><td>1:5000 - 1:20000</td></tr><tr><td>FACS</td><td>Assay-dependent</td></tr><tr><td>FLISA</td><td>Assay-dependent</td></tr><tr><td>ICC/IF</td><td>Assay-dependent</td></tr><tr><td>IHC-Fr</td><td>Assay-dependent</td></tr><tr><td>WB</td><td>Assay-dependent</td></tr></tbody></table>	Application	Dilution	ELISA	1:5000 - 1:20000	FACS	Assay-dependent	FLISA	Assay-dependent	ICC/IF	Assay-dependent	IHC-Fr	Assay-dependent	WB	Assay-dependent
Application	Dilution														
ELISA	1:5000 - 1:20000														
FACS	Assay-dependent														
FLISA	Assay-dependent														
ICC/IF	Assay-dependent														
IHC-Fr	Assay-dependent														
WB	Assay-dependent														
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.														

Properties


Form	Liquid
Purification	Affinity purification with immunogen.
Buffer	PBS and 0.1% Sodium azide.
Preservative	0.1% Sodium azide
Concentration	0.5 mg/ml
Storage instruction	Aliquot and store in the dark at 2-8°C. Keep protected from prolonged exposure to light. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be

gently mixed before use.

Note

For laboratory research only, not for drug, diagnostic or other use.

Images



ARG21692 Goat anti-Rat IgG antibody (Biotin) (pre-adsorbed) ELISA image

ELISA: The plate was coated with purified Rat IgG and IgM. Immunoglobulins were detected with serially diluted ARG21692 Goat anti-Rat IgG antibody (Biotin) (pre-adsorbed) followed by [ARG23912](#) Streptavidin (HRP).