

ARG21937 Goat anti-Cat IgG (H+L) antibody

Package: 1 mg Store at: -20°C

Summary

Product Description	Goat Polyclonal antibody recognizes Cat IgG (H+L)
Tested Reactivity	Cat
Tested Application	ELISA, FACS, FLISA, IP, WB
Specificity	Reacts with the heavy and light chains of feline IgG
Host	Goat
Clonality	Polyclonal
Isotype	IgG
Target Name	IgG (H+L)
Species	Cat
Conjugation	Un-conjugated

Application Instructions

Application table	Application	Dilution
	ELISA	Assay-dependent
	FACS	Assay-dependent
	FLISA	Assay-dependent
	IP	Assay-dependent
	WB	Assay-dependent
Application Note	* The dilutions indicate recomm should be determined by the sc	nended starting dilutions and the optimal dilutions or concentrations ientist.

Properties

FormLiquidPurificationAffinity purification with immunogen.BufferBBS (pH 8.2)Concentration1 mg/mlStorage instructionFor continuous use, store undiluted antibody at 2-8° for up to a week. For long-term storage, aliquot and store at -20°C. Storage in frost free grees is not recommended Avoid repeated freeze/thaw suggest spin the vial prior to not put and store at store undiluted antibody at 2-8° for up to a week. For long-term storage, aliquot before use.NoteFor loboratory put and store at store undiluted antipotic or other use.		
BufferBBS (pH 8.2)Concentration1 mg/mlStorage instructionFor continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.	Form	Liquid
Concentration1 mg/mlStorage instructionFor continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.	Purification	Affinity purification with immunogen.
Storage instructionFor continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.	Buffer	BBS (pH 8.2)
and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.	Concentration	1 mg/ml
Note For laboratory research only, not for drug, diagnostic or other use.	Storage instruction	and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw
	Note	For laboratory research only, not for drug, diagnostic or other use.