

### Product datasheet

info@arigobio.com

# ARG23792 Goat anti-Mouse IgG (H+L) antibody (APC), pre-adsorbed

Package: 125 μg Store at: 4°C

#### **Summary**

Product Description APC-conjugated Goat Polyclonal antibody recognizes Mouse IgG (H+L)

Tested Reactivity Ms

Tested Application ELISA, ELISPOT, FACS, FLISA, ICC/IF, IHC-Fr, WB

Specificity Reacts with the heavy and light chains of mouse IgG1, IgG2a, IgG2b, and IgG3, and with the light chains

of mouse IgM and IgA as demonstrated by ELISA, FLISA, and/or flow cytometry; minimal cross reactivity

with human immunoglobulins

Host Goat

Clonality Polyclonal

Isotype IgG

Target Name IgG (H+L)

Species Mouse

Conjugation APC

#### **Application Instructions**

Pre Adsorbed	Human immunoglobulins and pooled sera.

Application table Application Dilution

ELISA	Assay-dependent
ELISPOT	Assay-dependent
FACS	< 0.1 µg/10^6 cells
FLISA	< 1 µg/ml
ICC/IF	Assay-dependent
IHC-Fr	Assay-dependent
WB	Assay-dependent

Application Note \* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations

should be determined by the scientist.

#### **Properties**

Form Liquid

Purification Affinity purification with immunogen.

Buffer PBS, 0.1% Sodium azide and Sucrose.

Preservative 0.1% Sodium azide

www.arigobio.com arigo.nuts about antibodies 1/2

Stabilizer Sucrose

Concentration 0.5 mg/ml


Storage instruction Aliquot and store in the dark at 2-8°C. Keep protected from prolonged exposure to light. Avoid

repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be

gently mixed before use.

Note For laboratory research only, not for drug, diagnostic or other use.

#### **Images**



## ARG23792 Goat anti-Mouse IgG (H+L) antibody (APC), pre-adsorbed FACS image

Flow Cytometry: Human peripheral blood lymphocytes were stained with Mouse anti-Human CD3 followed by ARG23792 Goat anti-Mouse IgG (H+L) antibody (APC), pre-adsorbed.