

Product datasheet

info@arigobio.com

ARG40090 anti-SNRPD1 / Sm D1 antibody

Package: 100 μl Store at: -20°C

Summary

Product Description Rabbit Polyclonal antibody recognizes SNRPD1 / Sm D1

Tested Reactivity Hu, Ms, Rat

Tested Application ICC/IF, IHC-P, WB

Host Rabbit

Clonality Polyclonal

Isotype IgG

Target Name SNRPD1 / Sm D1

Species Human

Immunogen Synthetic peptide within aa. 1-100 of Human SNRPD1 (NP_008869.1).

Conjugation Un-conjugated

Alternate Names Sm-D autoantigen; snRNP core protein D1; Sm-D1; Small nuclear ribonucleoprotein Sm D1; HsT2456;

SMD1; SNRPD

Application Instructions

Application table	Application	Dilution
	ICC/IF	1:50 - 1:200
	IHC-P	1:50 - 1:200
	WB	1:500 - 1:2000
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	
Positive Control	Mouse kidney	
Observed Size	16 kDa	

Properties

Form Liquid

Purification Affinity purified.

Buffer PBS (pH 7.3), 0.02% Sodium azide and 50% Glycerol.

Preservative 0.02% Sodium azide

Stabilizer 50% Glycerol

Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.

Bioinformation

Gene Symbol SNRPD1

Gene Full Name small nuclear ribonucleoprotein D1 polypeptide 16kDa

Background This gene encodes a small nuclear ribonucleoprotein that belongs to the SNRNP core protein family.

The protein may act as a charged protein scaffold to promote SNRNP assembly or strengthen SNRNP-SNRNP interactions through nonspecific electrostatic contacts with RNA. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, May 2014]

Function Core component of the spliceosomal U1, U2, U4 and U5 small nuclear ribonucleoproteins (snRNPs), the

building blocks of the spliceosome. Thereby, plays an important role in the splicing of cellular premRNAs. Most spliceosomal snRNPs contain a common set of Sm proteins SNRPB, SNRPD1, SNRPD2, SNRPD3, SNRPE, SNRPF and SNRPG that assemble in an heptameric protein ring on the Sm site of the small nuclear RNA to form the core snRNP. May act as a charged protein scaffold to promote snRNP assembly or strengthen snRNP-snRNP interactions through nonspecific electrostatic contacts with RNA.

[UniProt]

Calculated Mw 13 kDa

PTM Methylated on arginine residues by PRMT5 and PRMT7; probable asymmetric dimethylation which is

required for assembly and biogenesis of snRNPs. [UniProt]

Cellular Localization Cytoplasm, cytosol. Nucleus. Note=SMN-mediated assembly into core snRNPs occurs in the cytosol

before SMN-mediated transport to the nucleus to be included in spliceosomes. [UniProt]

Images



ARG40090 anti-SNRPD1 / Sm D1 antibody WB image

Western blot: 25 μg of Mouse kidney lysate stained with ARG40090 anti-SNRPD1 / Sm D1 antibody at 1:3000 dilution.