

# Product datasheet

info@arigobio.com

# ARG41214 anti-TOX / TOX1 antibody

Package: 100 μl Store at: -20°C

## Summary

Product Description Rabbit Polyclonal antibody recognizes TOX / TOX1

Tested Reactivity Hu, Ms, Rat

Tested Application ICC/IF, IHC-P, WB

Host Rabbit

**Clonality** Polyclonal

Isotype IgG

Target Name TOX / TOX1

Species Human

Immunogen Recombinant fusion protein corresponding to aa. 297-526 of Human TOX / TOX1 (NP\_055544.1).

Conjugation Un-conjugated

Alternate Names Thymocyte selection-associated high mobility group box protein TOX; TOX1; Thymus high mobility

group box protein TOX

## **Application Instructions**

Application table	Application	Dilution
	ICC/IF	1:50 - 1:200
	IHC-P	1:50 - 1:200
	WB	1:500 - 1:2000
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

#### **Properties**

Form Liquid

Purification Affinity purified.

Buffer PBS (pH 7.3), 0.02% Sodium azide and 50% Glycerol.

Preservative 0.02% Sodium azide

Stabilizer 50% Glycerol

Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.

Note For laboratory research only, not for drug, diagnostic or other use.

#### Bioinformation

Gene Symbol TOX

Gene Full Name thymocyte selection-associated high mobility group box

Background The protein encoded by this gene contains a HMG box DNA binding domain. HMG boxes are found in

many eukaryotic proteins involved in chromatin assembly, transcription and replication. This protein

may function to regulate T-cell development.[provided by RefSeq, Apr 2009]

Function May play a role in regulating T-cell development. [UniProt]

Calculated Mw 58 kDa

Cellular Localization Nucleus. [UniProt]