

Product datasheet

info@arigobio.com

ARG42831 anti-RBL1 / p107 antibody

Package: 50 μg Store at: -20°C

Summary

Product Description Rabbit Polyclonal antibody recognizes RBL1 / p107

Tested Reactivity Hu, Rat

Predict Reactivity Ms, Hm

Tested Application IHC-P, WB

Host Rabbit

Clonality Polyclonal

Isotype IgG

Target Name RBL1 / p107
Species Human

Immunogen Synthetic peptide corresponding to aa. 1048-1068 of Human RBL1 / p107.

(QENDDVLLKRLQDVVSERANH)

Conjugation Un-conjugated

Alternate Names CP107; p107; 107 kDa retinoblastoma-associated protein; Retinoblastoma-like protein 1; pRb1; PRB1

Application Instructions

Application table	Application	Dilution
	IHC-P	1:200 - 1:1000
	WB	1:500 - 1:2000
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	
Observed Size	~ 120 kDa	

Properties

Form Liquid

Purification Affinity purification with immunogen.

Buffer 0.2% Na2HPO4, 0.9% NaCl, 0.05% Thimerosal, 0.05% Sodium azide and 5% BSA.

Preservative 0.05% Thimerosal and 0.05% Sodium azide

Stabilizer 5% BSA

Concentration 0.5 mg/ml

Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed

before use.

Bioinformation

Gene Symbol RBL1

Gene Full Name retinoblastoma-like 1

Background The protein encoded by this gene is similar in sequence and possibly function to the product of the

retinoblastoma 1 (RB1) gene. The RB1 gene product is a tumor suppressor protein that appears to be involved in cell cycle regulation, as it is phosphorylated in the S to M phase transition and is dephosphorylated in the G1 phase of the cell cycle. Both the RB1 protein and the product of this gene can form a complex with adenovirus E1A protein and SV40 large T-antigen, with the SV40 large T-antigen binding only to the unphosphorylated form of each protein. In addition, both proteins can inhibit the transcription of cell cycle genes containing E2F binding sites in their promoters. Due to the sequence and biochemical similarities with the RB1 protein, it is thought that the protein encoded by this gene may also be a tumor suppressor. Two transcript variants encoding different isoforms have

been found for this gene. [provided by RefSeq, Jul 2008]

Function Key regulator of entry into cell division (PubMed:17671431). Directly involved in heterochromatin

formation by maintaining overall chromatin structure and, in particular, that of constitutive heterochromatin by stabilizing histone methylation (By similarity). Recruits and targets histone methyltransferases KMT5B and KMT5C, leading to epigenetic transcriptional repression (By similarity). Controls histone H4 'Lys-20' trimethylation (By similarity). Probably acts as a transcription repressor by recruiting chromatin-modifying enzymes to promoters (By similarity). Potent inhibitor of E2F-mediated trans-activation (PubMed:8319904). May act as a tumor suppressor (PubMed:8319904). [UniProt]

Calculated Mw 121 kDa


PTM Exists in both phosphorylated and unphosphorylated forms, and T, but not E1A, binds only to the

unphosphorylated form. Cell-cycle arrest properties are inactivated by phosphorylation on Thr-332,

Ser-640, Ser-964 and Ser-975 by CDK4. [UniProt]

Cellular Localization Nucleus. [UniProt]

Images




ARG42831 anti-RBL1 / p107 antibody IHC-P image

 $Immun ohistochem is try: Paraffin-embedded\ Human\ intestinal\ cancer\\ tissue\ stained\ with\ ARG42831\ anti-RBL1\ /\ p107\ antibody.$

250KD - 100KD - 70KD - 55KD - 35KD - 25KD -

ARG42831 anti-RBL1 / p107 antibody WB image

Western blot: 239T and Jurkat cell lysates stained with ARG42831 anti-RBL1 / p107 antibody.



ARG42831 anti-RBL1 / p107 antibody IHC-P image

Immunohistochemistry: Paraffin-embedded Rat intestine tissue stained with ARG42831 anti-RBL1 / p107 antibody.