

ARG43726 anti-SARS-CoV-2 ORF3b antibody

Package: 100 μg Store at: -20°C

Summary

Product Description	Rabbit Polyclonal antibody recognizesSARS-CoV-2 ORF3b
Tested Reactivity	Virus
Tested Application	ELISA, IHC-P, WB
Specificity	ORF3b Antibody is predicted to not cross-react with other coronavirus family members.
Host	Rabbit
Clonality	Polyclonal
Isotype	lgG
Target Name	SARS-CoV-2 ORF3b
Species	Virus
Immunogen	Synthetic peptide corresponding to 16 amino acids near the central domain of SARS-CoV-2 (COVID-19) ORF3b protein.
	The immunogen is located within 30-80 amino acids of the SARS-CoV-2 (COVID-19) ORF3b protein.
Conjugation	Un-conjugated
Alternate Names	ORF3b protein, Acessary protein 3b, ns3b, Non-structural protein 3b, ORF3b

Application Instructions

Application table	Application	Dilution
	ELISA	detect 2 ng of free peptide at 1 $\mu\text{g/mL}$
	IHC-P	0.5 μg/mL
	WB	0.25 μg/mL
Application Note	* The dilutions indicate recors should be determined by th	ommended starting dilutions and the optimal dilutions or concentrations e scientist.

Properties

Form	Liquid	
Purification	Affinity purification with immunogen.	
Buffer	PBS and 0.02% Sodium azide.	
Preservative	0.02% Sodium azide	
Concentration	1 mg/ml	
Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed	


Note

For laboratory research only, not for drug, diagnostic or other use.

Bioinformation


Gene Symbol	ORF3b
Gene Full Name	SARS-CoV-2 ORF3b
Background	Coronavirus disease 2019 (COVID-19), formerly known as 2019-nCoV acute respiratory disease, is an infectious disease caused by SARS-CoV-2, a virus closely related to the SARS virus. The disease is the cause of the 2019–20 coronavirus outbreak. SARS-CoV-2 virus proteins include structural proteins, non-structural proteins and accessory factors. The structure of SARS-CoV-2 consists of the following: a spike protein (S), hemagglutinin-esterease dimer (HE), a membrane glycoprotein (M), an envelope protein (E) a nucleoclapid protein (N) and RNA. SARS-CoV-2 non-structural protein is ORF1ab that consists of 16 proteins (nsp1-nsp16), while accessory factors include ORF3a, ORF3b, ORF6, ORF7a, ORF7b, ORF3b, ORF9b, ORF9c and ORF10. ORF3b may play a role in interferon antiviral system evasion.
Highlight	Related products: <u>SARS-CoV antibodies:</u> <u>SARS-CoV ELISA Kits;</u> <u>SARS-CoV recombinant proteins;</u> <u>Anti-Rabbit IgG</u> <u>secondary antibodies;</u> Related news: <u>HMGB1, a biomarker and therapeutic target in COVID-19</u>

Images




ARG43726 anti-SARS-CoV-2 ORF3b antibody IHC-P image

Immunohistochemistry: Paraffin-embedded COVID-19 patient lung tissue (left) or health control (right) lung tissue were fixed with formaldehyde and blocked with 10% serum for 1 hour at RT. Antigen Retrieval: Heat mediation was performed in Citrate buffer (pH 6.0). The tissue section was stained with ARG43726 anti-SARS-CoV-2 ORF3b antibody at 0.5 μ g/mL dilution, overnight at 4°C. Counter stained with Hematoxylin.



ARG43726 anti-SARS-CoV-2 ORF3b antibody WB image

Western blot: 30 ng of SARS-CoV-2 ORF3b recombinant protein stained with ARG43726 anti-SARS-CoV-2 ORF3b antibody for 1 hour incubation at RT in 5% NFDM/TBST, at 0.25 μ g/ml (left) or 0.5 μ g/ml (right) dilution.



ARG43726 anti-SARS-CoV-2 ORF3b antibody ELISA image

Direct ELISA: SARS-CoV-2 ORF3b rprotein was coated on the plate and ARG43726 anti-SARS-CoV-2 ORF3b antibody was used as the capture antibody. Secondary: Goat anti-rabbit IgG HRP conjugate at 1:20000 dilution. Detection range is from 1 ng/mL to 3000 ng/mL