

## ARG44170 anti-NT5DC2 antibody

Package: 50 µg  
Store at: -20°C

### Summary

Product Description	Rabbit Polyclonal antibody recognizes NT5DC2
Tested Reactivity	Hu
Tested Application	WB
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Target Name	NT5DC2
Species	Human
Immunogen	Recombinant protein of Human NT5DC2
Conjugation	Un-conjugated
Alternate Names	NT5DC2; 5'-Nucleotidase Domain Containing 2; 5'-Nucleotidase Domain-Containing Protein 2; FLJ12442; EC 3.1.3.-

### Application Instructions

Application table	Application	Dilution
	WB	0.25-0.5 µg/ml
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	

### Properties

Form	Liquid
Purification	Affinity purification with immunogen.
Buffer	0.9% NaCl, 0.2% Na <sub>2</sub> HPO <sub>4</sub> , 0.05% Sodium azide and 5% BSA.
Preservative	0.05% Sodium azide
Stabilizer	5% BSA
Concentration	0.5 mg/ml
Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.
Note	For laboratory research only, not for drug, diagnostic or other use.


## Bioinformation

---

Gene Symbol	NT5DC2
Gene Full Name	5'-Nucleotidase Domain Containing 2
Background	Predicted to enable 5'-nucleotidase activity. Predicted to be involved in dephosphorylation.
Calculated Mw	61 kDa

## Images

---



ARG44170 anti-NT5DC2 antibody WB image

Western blot: SH-SY5Y, Caco-2 and K562 stained with ARG44170 anti-NT5DC2 antibody at 0.5  $\mu\text{g}/\text{mL}$  dilution.