

ARG55731 anti-V5 tag antibody

Package: 100 µg
Store at: -20°C

Summary

| | |
|---------------------|--|
| Product Description | Goat Polyclonal antibody recognizes V5 tag |
| Tested Reactivity | Other |
| Tested Application | WB |
| Specificity | Reacts specifically with V5-tagged recombinant fusion proteins expressed in transfected mammalian cells or produced by in vitro translation. |
| Host | Goat |
| Clonality | Polyclonal |
| Isotype | IgG |
| Target Name | V5 tag |
| Species | Others |
| Immunogen | Purified recombinant peptide around aa. 95-108 of the P/V proteins of the Paramyxovirus SV5 |
| Conjugation | Un-conjugated |
| Alternate Names | V5 epitope; GKPIPPLLGLDST epitope |


Application Instructions

| Application table | Application | Dilution |
|-------------------|-------------|--------------|
| | WB | 1:500-1:2000 |

Application Note * The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.

Properties

| | |
|---------------------|---|
| Form | Liquid |
| Purification | Affinity purification with immunogen. |
| Buffer | PBS, 0.05% Sodium azide and 20% Glycerol |
| Preservative | 0.05% Sodium azide |
| Stabilizer | 20% Glycerol |
| Concentration | 3 mg/ml |
| Storage instruction | For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use. |
| Note | For laboratory research only, not for drug, diagnostic or other use. |



ARG55731 anti-V5 tag antibody WB image

Western blot: 100 μ g of MBP-V5 recombinant protein and 293 cells transfected with V5-mCherry stained with ARG55731 anti-V5 tag antibody at 1:1000 dilution.