

## ARG58284 anti-ASMT antibody

Package: 100 μl Store at: -20°C

# Summary

Product Description	Rabbit Polyclonal antibody recognizes ASMT
Tested Reactivity	Hu
Tested Application	FACS, IHC-P, WB
Host	Rabbit
Clonality	Polyclonal
Isotype	lgG
Target Name	ASMT
Species	Human
Immunogen	KLH-conjugated synthetic peptide corresponding to aa. 212-241 (Center) of Human ASMT.
Conjugation	Un-conjugated
Alternate Names	HIOMTY; Hydroxyindole O-methyltransferase; EC 2.1.1.4; ASMTY; Acetylserotonin O-methyltransferase; HIOMT

## **Application Instructions**

Application table	Application	Dilution
	FACS	1:10 - 1:50
	IHC-P	1:10 - 1:50
	WB	1:1000
Application Note	* The dilutions indicate recomn should be determined by the sc	nended starting dilutions and the optimal dilutions or concentrations ientist.


# Properties

Form	Liquid
Purification	Purification with Protein A and immunogen peptide.
Buffer	PBS and 0.09% (W/V) Sodium azide.
Preservative	0.09% (W/V) Sodium azide.
Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.
Note	For laboratory research only, not for drug, diagnostic or other use.

## Bioinformation


Gene Symbol	ASMT
Gene Full Name	acetylserotonin O-methyltransferase
Background	This gene belongs to the methyltransferase superfamily, and is located in the pseudoautosomal region (PAR) at the end of the short arms of the X and Y chromosomes. The encoded enzyme catalyzes the final reaction in the synthesis of melatonin, and is abundant in the pineal gland. Alternatively spliced transcript variants have been noted for this gene. [provided by RefSeq, Jan 2010]
Function	Isoform 1 catalyzes the transfer of a methyl group onto N-acetylserotonin, producing melatonin (N- acetyl-5-methoxytryptamine). Isoform 2 and isoform 3 lack enzyme activity. [UniProt]
Calculated Mw	38 kDa

### Images



### ARG58284 anti-ASMT antibody IHC-P image

Immunohistochemistry: Formalin-fixed and paraffin-embedded Human brain tissue stained with ARG58284 anti-ASMT antibody.



### ARG58284 anti-ASMT antibody FACS image

Flow Cytometry: 293 cells stained with ARG58284 anti-ASMT antibody (right histogram) or without primary antibody as control (left histogram), followed by incubation with FITC labelled secondary antibody.