

Product datasheet

info@arigobio.com

ARG59292 anti-Arginase 1 antibody

Package: 100 μl Store at: -20°C

Summary

Product Description Rabbit Polyclonal antibody recognizes Arginase 1

Tested Reactivity Hu, Ms, Rat
Tested Application IP, WB
Host Rabbit
Clonality Polyclonal

Isotype IgG

Target Name Arginase 1
Species Human

Immunogen Synthetic peptide derived from Human Arginase 1.

Conjugation Un-conjugated

Alternate Names EC 3.5.3.1; Type I arginase; Arginase-1; Liver-type arginase

Application Instructions

Application table	Application	Dilution
	IP	1:50
	WB	1:500 - 1:2000
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	
Observed Size	37 kDa	

Properties

Form Liquid

Purification Affinity purified.

Buffer PBS (pH 7.4), 0.02% Sodium azide and 50% Glycerol.

Preservative 0.02% Sodium azide

Stabilizer 50% Glycerol

Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol ARG1

Gene Full Name arginase 1

Background Arginase catalyzes the hydrolysis of arginine to ornithine and urea. At least two isoforms of mammalian

arginase exist (types I and II) which differ in their tissue distribution, subcellular localization, immunologic crossreactivity and physiologic function. The type I isoform encoded by this gene, is a cytosolic enzyme and expressed predominantly in the liver as a component of the urea cycle. Inherited deficiency of this enzyme results in argininemia, an autosomal recessive disorder characterized by hyperammonemia. Two transcript variants encoding different isoforms have been found for this gene.


[provided by RefSeq, Sep 2011]

Calculated Mw 35 kDa

Cellular Localization Cytoplasmic granule. Note=Localized in azurophil granules of neutrophils

(PubMed:15546957). [UniProt]

Images



ARG59292 anti-Arginase 1 antibody WB image

Western blot: Mouse liver lysate stained with ARG59292 anti-Arginase 1 antibody.