

ARG59405 anti-Peroxiredoxin 6 antibody

Package: 100 µl
Store at: -20°C

Summary

Product Description	Rabbit Polyclonal antibody recognizes Peroxiredoxin 6
Tested Reactivity	Hu, Ms, Rat
Tested Application	ICC/IF, IHC-P, WB
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Target Name	Peroxiredoxin 6
Species	Human
Immunogen	Recombinant fusion protein corresponding to aa. 1-224 of Human Peroxiredoxin 6 (NP_004896.1).
Conjugation	Un-conjugated
Alternate Names	1-Cys; NSGPx; EC 3.1.1.-; Antioxidant protein 2; Non-selenium glutathione peroxidase; 24 kDa protein; Acidic calcium-independent phospholipase A2; AOP2; 1-Cys peroxiredoxin; aiPLA2; Peroxiredoxin-6; Liver 2D page spot 40; 1-Cys PRX; EC 1.11.1.15; EC 1.11.1.9; Red blood cells page spot 12; p29; PRX; HEL-S-128m

Application Instructions

Application table	Application	Dilution
	ICC/IF	1:50 - 1:200
	IHC-P	1:50 - 1:200
	WB	1:500 - 1:2000
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	
Positive Control	Mouse heart and HeLa	
Observed Size	27 kDa	

Properties

Form	Liquid
Purification	Affinity purified.
Buffer	PBS (pH 7.3), 0.02% Sodium azide and 50% Glycerol.
Preservative	0.02% Sodium azide
Stabilizer	50% Glycerol
Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw

cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.


Note

For laboratory research only, not for drug, diagnostic or other use.

Bioinformation


Gene Symbol	PRDX6
Gene Full Name	peroxiredoxin 6
Background	The protein encoded by this gene is a member of the thiol-specific antioxidant protein family. This protein is a bifunctional enzyme with two distinct active sites. It is involved in redox regulation of the cell; it can reduce H(2)O(2) and short chain organic, fatty acid, and phospholipid hydroperoxides. It may play a role in the regulation of phospholipid turnover as well as in protection against oxidative injury. [provided by RefSeq, Jul 2008]
Function	Involved in redox regulation of the cell. Can reduce H(2)O(2) and short chain organic, fatty acid, and phospholipid hydroperoxides. May play a role in the regulation of phospholipid turnover as well as in protection against oxidative injury. [UniProt]
Calculated Mw	25 kDa
Cellular Localization	Cytoplasm. Lysosome. Note=Also found in lung secretory organelles (lamellar bodies). [UniProt]

Images



ARG59405 anti-Peroxiredoxin 6 antibody ICC/IF image

Immunofluorescence: HeLa cells stained with ARG59405 anti-Peroxiredoxin 6 antibody (green).



ARG59405 anti-Peroxiredoxin 6 antibody WB image

Western blot: 25 µg of Mouse heart and HeLa cell lysate stained with ARG59405 anti-Peroxiredoxin 6 antibody at 1:1000 dilution.