

**ARG62497**  
anti-Glycophorin C antibody [Ret40f]Package: 100 µl  
Store at: -20°C

### Summary

Product Description	Mouse Monoclonal antibody [Ret40f] recognizes Glycophorin C
Tested Reactivity	Hu
Tested Application	IHC-Fr, IHC-P
Host	Mouse
Clonality	Monoclonal
Clone	Ret40f
Isotype	IgG1, kappa
Target Name	Glycophorin C
Immunogen	Red cell ghosts
Conjugation	Un-conjugated
Alternate Names	Glycophorin-D; CD236R; GPD; Glycophorin-C; Glycoprotein beta; Glycoconnectin; GPC; PAS-2; CD antigen CD236; GE; CD236; Sialoglycoprotein D; GYPD; PAS-2'

### Application Instructions

Application table	Application	Dilution
	IHC-Fr	1:25 - 1:100 in an ABC method.
	IHC-P	1:25 - 1:100

**Application Note**

IHC-P: Antigen Retrieval: Heat tissue section in Sodium citrate buffer (pH 6.0) or EDTA buffer (pH 8.0)  
IHC-Fr: Incubate for 30-60 minutes at room temperature is highly recommended.  
\* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.

### Properties

Form: Liquid  
Buffer: