

Product datasheet

info@arigobio.com

ARG64993 anti-TAF7L antibody

Package: 100 μg Store at: -20°C

Summary

Product Description Goat Polyclonal antibody recognizes TAF7L

Tested Reactivity Hu
Tested Application WB
Host Goat

Clonality Polyclonal

Isotype IgG

Target Name TAF7L
Species Human

Immunogen C-NHFQSVLEQLELQEK

Conjugation Un-conjugated

Alternate Names Transcription initiation factor TFIID 50 kDa subunit; TATA box-binding protein-associated factor 50 kDa;

RNA polymerase II TBP-associated factor subunit Q; TAF2Q; Transcription initiation factor TFIID subunit

7-like; Cancer/testis antigen 40; CT40

Application Instructions

Application table	Application	Dilution	
	WB	0.3 - 1 µg/ml	
Application Note	WB: Recommend incuba	ite at RT for 1h. recommended starting dilutions and the optimal dilutions or concentrations	
	should be determined by the scientist.		

Properties

Form Liquid

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity

chromatography using the immunizing peptide.

Buffer Tris saline (pH 7.3), 0.02% Sodium azide and 0.5% BSA

Preservative 0.02% Sodium azide

Stabilizer 0.5% BSA

Concentration 0.5 mg/ml

Storage instruction For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot

and store at -20°C or below. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed

before use.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Database links GeneID: 54457 Human

Swiss-port # Q5H9L4 Human

Background This gene is similar to a mouse gene that encodes a TATA box binding protein-associated factor, and

shows testis-specific expression. The encoded protein could be a spermatogenesis-specific component of the DNA-binding general transcription factor complex TFIID. Alternatively spliced transcript variants

encoding different isoforms have been found for this gene. [provided by RefSeq, Dec 2009]

Research Area Gene Regulation antibody

Calculated Mw 53 kDa

Images

	250kDa 150kDa	ARG64993 anti-TAF7L antibody WB image
	100kDa 75kDa	Western Blot: Human Testis lysate (35 μg protein in RIPA buffer)
	50kDa	stained with ARG64993 anti-TAF7L antibody at 1 $\mu g/ml$ dilution.
-	37kDa	
	25kDa	
	20kDa	
	15kDa	