

## ARG66745 anti-Strep-tag II antibody

Package: 100 µg  
Store at: -20°C

### Summary

|                     |   |
|---------------------|---|
| Product Description | Mouse Monoclonal antibody recognizes Strep-tag II |
| Tested Reactivity   | Other   |
| Tested Application  | WB  |
| Host                | Mouse   |
| Clonality           | Monoclonal  |
| Isotype             | IgG   |
| Target Name         | Strep-tag II                                      |
| Species             | Others  |
| Immunogen           | Synthetic peptide of Strep-tag II. (NWSHPQFEK)    |
| Conjugation         | Un-conjugated                                     |

### Application Instructions

| Application table | Application | Dilution        |
|-------------------|-------------|-----------------|
|                   | WB          | 1:2000 - 1:5000 |

**Application Note** \* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.

### Properties

|                     |   |
|---------------------|---|
| Form                | Liquid  |
| Purification        | Affinity purification with immunogen.   |
| Buffer              | PBS (pH 7.4), 0.02% Sodium azide, 50% Glycerol and 0.5% BSA.  |
| Preservative        | 0.02% Sodium azide  |
| Stabilizer          | 50% Glycerol and 0.5% BSA   |
| Storage instruction | For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use. |
| Note                | For laboratory research only, not for drug, diagnostic or other use.  |



Strep-tag II  
recombinant protein

ARG66745 anti-Strep-tag II antibody WB image

Western blot: Strep-tag II recombinant protein stained with  
ARG66745 anti-Strep-tag II antibody 1:5000 dilution.