

ARG66843 anti-CaMKK alpha antibody

Package: 100 μg Store at: -20°C

Summary

Product Description	Rabbit Polyclonal antibody recognizes CaMKK alpha
Tested Reactivity	Ни
Predict Reactivity	Ms, Rat
Tested Application	WB
Host	Rabbit
Clonality	Polyclonal
lsotype	IgG
Target Name	CaMKK alpha
Species	Human
Immunogen	Synthetic peptide between aa. 400-480 of Human CaMKK alpha.
Conjugation	Un-conjugated
Alternate Names	CaMKK alpha; CAMKKA; Calcium/calmodulin-dependent protein kinase kinase 1; CaM-KK 1; CaM-kinase kinase alpha; CaM-KK alpha; EC 2.7.11.17; CaM-kinase kinase 1; Calcium/calmodulin-dependent protein kinase kinase alpha; CaM-kinase IV kinase; CaMKK 1

Application Instructions

Application table	Application	Dilution	
	WB	1:500 - 1:2000	
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.		
Positive Control	DU145		
Observed Size	~ 55 kDa		

Properties

Form	Liquid
Purification	Affinity purification with immunogen.
Buffer	PBS, 0.02% Sodium azide and 50% Glycerol.
Preservative	0.02% Sodium azide
Stabilizer	50% Glycerol
Concentration	1 mg/ml
Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.

Bioinformation

Gene Symbol	CAMKK1
Gene Full Name	calcium/calmodulin-dependent protein kinase kinase 1, alpha
Background	The product of this gene belongs to the Serine/Threonine protein kinase family, and to the Ca(2+)/calmodulin-dependent protein kinase subfamily. This protein plays a role in the calcium/calmodulin-dependent (CaM) kinase cascade. Three transcript variants encoding two distinct isoforms have been identified for this gene. [provided by RefSeq, Jul 2008]
Function	Calcium/calmodulin-dependent protein kinase that belongs to a proposed calcium-triggered signaling cascade involved in a number of cellular processes. Phosphorylates CAMK1, CAMK1D, CAMK1G and CAMK4. Involved in regulating cell apoptosis. Promotes cell survival by phosphorylating AKT1/PKB that inhibits pro-apoptotic BAD/Bcl2-antagonist of cell death. [UniProt]
Calculated Mw	56 kDa
РТМ	Appears to be autophosphorylated in a Ca(2+)/calmodulin-dependent manner. Phosphorylated at multiple sites by PRCAKA/PKA. Phosphorylation of Ser-458 is blocked upon binding to Ca(2+)/calmodulin. In vitro, phosphorylated by CAMK1 and CAMK4 (By similarity). [UniProt]
Cellular Localization	Cytoplasm. Nucleus. [UniProt]

Images

