

ARG66897
anti-STK38L / NDR2 antibodyPackage: 100 µl
Store at: -20°C

Summary

Product Description	Rabbit Polyclonal antibody recognizes STK38L / NDR2
Tested Reactivity	Ms
Predict Reactivity	Hu, Rat
Tested Application	WB
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Target Name	STK38L / NDR2
Species	Human
Immunogen	Synthetic peptide between aa. 380-460 of Human STK38L / NDR2.
Conjugation	Un-conjugated
Alternate Names	Serine/threonine-protein kinase 38-like; EC 2.7.11.1; Nuclear Dbf2-related kinase 2; NDR2 protein kinase; NDR2

Application Instructions

Application table	Application	Dilution
	WB	1:500 - 1:2000
Application Note	* The dilutions indicate recommended starting dilutions and the optimal dilutions or concentrations should be determined by the scientist.	
Observed Size	~ 54 kDa	


Properties

Form	Liquid
Purification	Affinity purification with immunogen.
Buffer	PBS, 0.02% Sodium azide, 50% Glycerol and 0.5% BSA.
Preservative	0.02% Sodium azide
Stabilizer	50% Glycerol and 0.5% BSA
Concentration	1 mg/ml
Storage instruction	For continuous use, store undiluted antibody at 2-8°C for up to a week. For long-term storage, aliquot and store at -20°C. Storage in frost free freezers is not recommended. Avoid repeated freeze/thaw cycles. Suggest spin the vial prior to opening. The antibody solution should be gently mixed before use.
Note	For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol	STK38L
Gene Full Name	serine/threonine kinase 38 like
Function	Involved in the regulation of structural processes in differentiating and mature neuronal cells. [UniProt]
Calculated Mw	54 kDa
Cellular Localization	Cytoplasm. Cytoplasm, cytoskeleton. Membrane. Note=Associated with the actin cytoskeleton. Co-localizes with STK24/MST3 in the membrane. [UniProt]

Images



ARG66897 anti-STK38L / NDR2 antibody WB image

Western blot: A Mouse cell line lysate stained with ARG66897 anti-STK38L / NDR2 antibody.