

Product datasheet

info@arigobio.com

ARG81707 Mouse MCP3 ELISA Kit

Package: 96 wells Store at: 4°C

Component

Cat. No.	Component Name	Package	Temp
ARG81707-001	Antibody-coated microplate	8 X 12 strips	4°C. Unused strips should be sealed tightly in the air-tight pouch.
ARG81707-002	Standard	2 X 10 ng/vial	4°C
ARG81707-003	Standard/Sample diluent	30 ml (Ready to use)	4°C
ARG81707-004	Antibody conjugate concentrate (100X)	1 vial (100 μl)	4°C
ARG81707-005	Antibody diluent buffer	12 ml (Ready to use)	4°C
ARG81707-006	HRP-Streptavidin concentrate (100X)	1 vial (100 μl)	4°C
ARG81707-007	HRP-Streptavidin diluent buffer	12 ml (Ready to use)	4°C
ARG81707-008	25X Wash buffer	20 ml	4°C
ARG81707-009	TMB substrate	10 ml (Ready to use)	4°C (Protect from light)
ARG81707-010	STOP solution	10 ml (Ready to use)	4°C
ARG81707-011	Plate sealer	4 strips	Room temperature

Summary

Product Description	ARG81707 Mouse MCP3 ELISA KIT IS an Enzyme immunoassay KIT for the quantification of Mouse MCP3
	in serum, plasma (henarin, EDTA) and cell culture supernatants

Tested Reactivity Ms **Tested Application** ELISA

Specificity There is no detectable cross-reactivity with other relevant proteins.

Target Name МСР3 Conjugation HRP

Conjugation Note Substrate: TMB and read at 450 nm.

Sensitivity 7.8 pg/ml

Sample Type Serum, plasma (heparin, EDTA) and cell culture supernatants.

Standard Range 15.6 - 1000 pg/ml

Sample Volume 100 μΙ Precision Intra-Assay CV: 6.0%; Inter-Assay CV: 7.2%

Alternate Names MCP3; NC28; Monocyte chemotactic protein 3; MARC; Small-inducible cytokine A7; FIC; C-C motif

chemokine 7; Monocyte chemoattractant protein 3; MCP-3; SCYA7; SCYA6

Application Instructions

Assay Time ~ 5 hours

Properties

Form 96 well

Storage instruction Store the kit at 2-8°C. Keep microplate wells sealed in a dry bag with desiccants. Do not expose test

reagents to heat, sun or strong light during storage and usage. Please refer to the product user manual

for detail temperatures of the components.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol CCL7

Gene Full Name chemokine (C-C motif) ligand 7

Background This gene encodes monocyte chemotactic protein 3, a secreted chemokine which attracts macrophages

during inflammation and metastasis. It is a member of the C-C subfamily of chemokines which are characterized by having two adjacent cysteine residues. The protein is an in vivo substrate of matrix metalloproteinase 2, an enzyme which degrades components of the extracellular matrix. This gene is part of a cluster of C-C chemokine family members on chromosome 17q. [provided by RefSeq, Jul 2008]

Function Chemotactic factor that attracts monocytes and eosinophils, but not neutrophils. Augments monocyte

anti-tumor activity. Also induces the release of gelatinase B. This protein can bind heparin. Binds to

CCR1, CCR2 and CCR3. [UniProt]

Highlight Related products:


MCP3 antibodies; MCP3 ELISA Kits; MCP3 Duos / Panels;

Related news:

Detecting MMPs and their non-ECM substrates

New ELISA data calculation tool:
Simplify the ELISA analysis by GainData

PTM O-glycosylated. [UniProt]



ARG81707 Mouse MCP3 ELISA Kit standard curve image

ARG81707 Mouse MCP3 ELISA Kit results of a typical standard run with optical density reading at 450 nm.