

# ARG81740 Mouse HGFA Inhibitor 2 ELISA Kit

Package: 96 wells Store at: 4°C

# Component

Cat. No.	Component Name	Package	Temp
ARG81740-001	Antibody-coated microplate	8 X 12 strips	4°C. Unused strips should be sealed tightly in the air-tight pouch.
ARG81740-002	Standard	2 X 10 ng/vial	4°C
ARG81740-003	Standard/Sample diluent	30 ml (Ready to use)	4°C
ARG81740-004	Antibody conjugate concentrate (100X)	1 vial (100 µl)	4°C
ARG81740-005	Antibody diluent buffer	12 ml (Ready to use)	4°C
ARG81740-006	HRP-Streptavidin concentrate (100X)	1 vial (100 µl)	4°C
ARG81740-007	HRP-Streptavidin diluent buffer	12 ml (Ready to use)	4°C
ARG81740-008	25X Wash buffer	20 ml	4°C
ARG81740-009	TMB substrate	10 ml (Ready to use)	4°C (Protect from light)
ARG81740-010	STOP solution	10 ml (Ready to use)	4°C
ARG81740-011	Plate sealer	4 strips	Room temperature

### Summary

Product Description	ARG81740 Mouse HGFA Inhibitor 2 ELISA Kit is an Enzyme Immunoassay kit for the quantification of Mouse HGFA Inhibitor 2 in serum, plasma (heparin, EDTA) and cell culture supernatants.
Tested Reactivity	Ms
Tested Application	ELISA
Specificity	There is no detectable cross-reactivity with other relevant proteins.
Target Name	HGFA Inhibitor 2
Conjugation	HRP
Conjugation Note	Substrate: TMB and read at 450 nm.
Sensitivity	15.6 pg/ml
Sample Type	Serum, plasma (heparin, EDTA) and cell culture supernatants.
Standard Range	31.2 - 2000 pg/ml
Sample Volume	100 μΙ

### **Application Instructions**

|--|


#### Properties

Form	96 well
Storage instruction	Store the kit at 2-8°C. Keep microplate wells sealed in a dry bag with desiccants. Do not expose test reagents to heat, sun or strong light during storage and usage. Please refer to the product user manual for detail temperatures of the components.
Note	For laboratory research only, not for drug, diagnostic or other use.

#### **Bioinformation**

Gene Symbol	SPINT2
Gene Full Name	serine peptidase inhibitor, Kunitz type, 2
Background	This gene encodes a transmembrane protein with two extracellular Kunitz domains that inhibits a variety of serine proteases. The protein inhibits HGF activator which prevents the formation of active hepatocyte growth factor. This gene is a putative tumor suppressor, and mutations in this gene result in congenital sodium diarrhea. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Oct 2009]
Function	Inhibitor of HGF activator. Also inhibits plasmin, plasma and tissue kallikrein, and factor XIa. [UniProt]
Highlight	Related products: <u>HGFA Inhibitor ELISA Kits;</u> New ELISA data calculation tool: <u>Simplify the ELISA analysis by GainData</u>

#### Images



#### ARG81740 Mouse HGFA Inhibitor 2 ELISA Kit standard curve image

ARG81740 Mouse HGFA Inhibitor 2 ELISA Kit results of a typical standard run with optical density reading at 450 nm.