

Product datasheet

info@arigobio.com

ARG81754 **Human RANK ELISA Kit**

Package: 96 wells Store at: 4°C

Component

Cat. No.	Component Name	Package	Temp
ARG81754-001	Antibody-coated microplate	8 X 12 strips	4°C. Unused strips should be sealed tightly in the air-tight pouch.
ARG81754-002	Standard	2 X 10 ng/vial	4°C
ARG81754-003	Standard/Sample diluent	30 ml (Ready to use)	4°C
ARG81754-004	Antibody conjugate concentrate (100X)	1 vial (100 μl)	4°C
ARG81754-005	Antibody diluent buffer	12 ml (Ready to use)	4°C
ARG81754-006	HRP-Streptavidin concentrate (100X)	1 vial (100 μl)	4°C
ARG81754-007	HRP-Streptavidin diluent buffer	12 ml (Ready to use)	4°C
ARG81754-008	25X Wash buffer	20 ml	4°C
ARG81754-009	TMB substrate	10 ml (Ready to use)	4°C (Protect from light)
ARG81754-010	STOP solution	10 ml (Ready to use)	4°C
ARG81754-011	Plate sealer	4 strips	Room temperature

Summary

Product Description	ARG81754 Human RANK ELISA Kit is an Enzyme Immunoassay kit for the quantification of Human RANK in serum and cell culture supernatants.		
Tested Reactivity	Hu		

Tested Application ELISA

Specificity There is no detectable cross-reactivity with other relevant proteins.

Target Name RANK Conjugation HRP

Conjugation Note Substrate: TMB and read at 450 nm.

Sensitivity 31.25 pg/ml

Sample Type Serum and cell culture supernatants.

Standard Range 62.5 - 4000 pg/ml

Sample Volume 100 μΙ Precision Intra-Assay CV: 5.2%; Inter-Assay CV: 6.5%

Alternate Names ODFR; Osteoclast differentiation factor receptor; OFE; FEO; CD265; PDB2; CD antigen CD265; RANK;

Receptor activator of NF-KB; OPTB7; Tumor necrosis factor receptor superfamily member 11A;

TRANCER; LOH18CR1; OSTS

Application Instructions

Assay Time ~ 5 hours

Properties

Form 96 well

Storage instruction Store the kit at 2-8°C. Keep microplate wells sealed in a dry bag with desiccants. Do not expose test

reagents to heat, sun or strong light during storage and usage. Please refer to the product user manual

for detail temperatures of the components.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol TNFRSF11A

Gene Full Name tumor necrosis factor receptor superfamily, member 11a, NFKB activator

Background The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptors can

interact with various TRAF family proteins, through which this receptor induces the activation of NF-kappa B and MAPK8/JNK. This receptor and its ligand are important regulators of the interaction between T cells and dendritic cells. This receptor is also an essential mediator for osteoclast and lymph node development. Mutations at this locus have been associated with familial expansile osteolysis, autosomal recessive osteopetrosis, and Paget disease of bone. Alternatively spliced transcript variants


have been described for this locus. [provided by RefSeq, Aug 2012]

Function Receptor for TNFSF11/RANKL/TRANCE/OPGL; essential for RANKL-mediated osteoclastogenesis.

Involved in the regulation of interactions between T-cells and dendritic cells. [UniProt]

Highlight Related products:

RANK antibodies; RANK ELISA Kits; New ELISA data calculation tool: Simplify the ELISA analysis by GainData



ARG81754 Human RANK ELISA Kit standard curve image

ARG81754 Human RANK ELISA Kit results of a typical standard run with optical density reading at 450 nm.