

Product datasheet

info@arigobio.com

ARG81788 Human CD201 / EPCR ELISA Kit

Package: 96 wells Store at: 4°C

Component

Cat. No.	Component Name	Package	Temp
ARG81788-001	Antibody-coated microplate	8 X 12 strips	4°C. Unused strips should be sealed tightly in the air-tight pouch.
ARG81788-002	Standard	2 X 20 ng/vial	4°C
ARG81788-003	Standard/Sample diluent	30 ml (Ready to use)	4°C
ARG81788-004	Antibody conjugate concentrate (100X)	1 vial (100 μl)	4°C
ARG81788-005	Antibody diluent buffer	12 ml (Ready to use)	4°C
ARG81788-006	HRP-Streptavidin concentrate (100X)	1 vial (100 μl)	4°C
ARG81788-007	HRP-Streptavidin diluent buffer	12 ml (Ready to use)	4°C
ARG81788-008	25X Wash buffer	20 ml	4°C
ARG81788-009	TMB substrate	10 ml (Ready to use)	4°C (Protect from light)
ARG81788-010	STOP solution	10 ml (Ready to use)	4°C
ARG81788-011	Plate sealer	4 strips	Room temperature

Summary

Product Description	ARG81/88 Human CD201/	PERCE ELISA Kit is an Enzyme Immunoassay kit for the quantification of	

Human CD201 / EPCR in serum, plasma (heparin, EDTA) and cell culture supernatants.

Tested Reactivity Hu

Tested Application ELISA

Specificity There is no detectable cross-reactivity with other relevant proteins.

Target Name CD201 / EPCR

Conjugation HRP

Conjugation Note Substrate: TMB and read at 450 nm.

Sensitivity 156 pg/ml

Sample Type Serum, plasma (heparin, EDTA) and cell culture supernatants.

Standard Range 312 - 20000 pg/ml

Sample Volume $100 \ \mu l$

Precision Intra-Assay CV: 5.8%; Inter-Assay CV: 6.9%

Alternate Names CD antigen CD201; Activated protein C receptor; EPCR; APC receptor; CCCA; Endothelial cell protein C

receptor; CCD41; Endothelial protein C receptor

Application Instructions

Assay Time

~ 5 hours

Properties

Form

96 well

Storage instruction

Store the kit at 2-8°C. Keep microplate wells sealed in a dry bag with desiccants. Do not expose test reagents to heat, sun or strong light during storage and usage. Please refer to the product user manual

for detail temperatures of the components.

Note

For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol

PROCR

Gene Full Name

protein C receptor, endothelial

Background

The protein encoded by this gene is a receptor for activated protein C, a serine protease activated by and involved in the blood coagulation pathway. The encoded protein is an N-glycosylated type I membrane protein that enhances the activation of protein C. Mutations in this gene have been associated with venous thromboembolism and myocardial infarction, as well as with late fetal loss during pregnancy. The encoded protein may also play a role in malarial infection and has been associated with cancer. [provided by RefSeq, Jul 2013]

Function

Binds activated protein C. Enhances protein C activation by the thrombin-thrombomodulin complex; plays a role in the protein C pathway controlling blood coagulation. [UniProt]

Highlight


Related products:

CD201 antibodies; CD201 ELISA Kits; New ELISA data calculation tool: Simplify the ELISA analysis by GainData

PTM

N-glycosylated.

A soluble form exists; probably released by a metalloprotease. Seems to have the same activity as the membrane-bound form. [UniProt]



ARG81788 Human CD201 / EPCR ELISA Kit standard curve image

ARG81788 Human CD201 / EPCR ELISA Kit results of a typical standard run with optical density reading at 450 nm.