

# Product datasheet

info@arigobio.com

## ARG82039 Monkey IL6 ELISA Kit

Package: 96 wells Store at: 4°C

#### Summary

Product Description ARG82039 Monkey IL6 ELISA Kit is an Enzyme Immunoassay kit for the quantification of Monkey IL6 in

serum, plasma and cell culture supernatants.

Tested Reactivity Mk

Tested Application ELISA

Specificity The following recombinant monkey proteins were tested and exhibited no cross-reactivity or

interference: Adiponectin, ApoAI, BMP1, BMP2, BMP3, BMP4, BMP5, BMP7, CCL2, CCL4, CCL5, CRP, HSP27, HGF, IL1 beta, IL1RA, IL2, IL4, IL5, sIL6R, IL8, IL10, IL12, IL13, IL15, IL17C, IL21, IL23, IFN gamma, MMP2, MMP9, IL2R, PDGF, serpin E1, TGF beta 1, TGF beta 2, TGF beta 3, TLR1, TLR2, TLR3, TLR9, TNF

alpha, TNF RI, TNF RII, VEGF, VEGF R1.

Target Name IL6

Conjugation Note Read at 450 nm.

Sensitivity 9 pg/ml

Sample Type Serum, plasma and cell culture supernatants.

Standard Range 46.9 - 3000 pg/ml

Sample Volume  $$100~\mu l$$ 

Precision Intra-Assay CV: 6%; Inter-Assay CV: 9%

Alternate Names B-cell stimulatory factor 2; CDF; HSF; BSF-2; Interferon beta-2; IL-6; IFNB2; CTL differentiation factor;

Interleukin-6; HGF; Hybridoma growth factor; BSF2; IFN-beta-2

### **Application Instructions**

Assay Time ~ 3.5 hours

#### **Properties**

Form 96 well

Storage instruction Store the kit at 2-8°C. Keep microplate wells sealed in a dry bag with desiccants. Do not expose test

reagents to heat, sun or strong light during storage and usage. Please refer to the product user manual

for detail temperatures of the components.

Note For laboratory research only, not for drug, diagnostic or other use.

#### Bioinformation

Gene Symbol IL6

Gene Full Name interleukin 6

Background This gene encodes a cytokine that functions in inflammation and the maturation of B cells. In addition,

the encoded protein has been shown to be an endogenous pyrogen capable of inducing fever in people with autoimmune diseases or infections. The protein is primarily produced at sites of acute and chronic

www.arigobio.com arigo, nuts about antibodies 1/2

inflammation, where it is secreted into the serum and induces a transcriptional inflammatory response through interleukin 6 receptor, alpha. The functioning of this gene is implicated in a wide variety of inflammation-associated disease states, including suspectibility to diabetes mellitus and systemic juvenile rheumatoid arthritis. [provided by RefSeq, Jun 2011]

Function

Cytokine with a wide variety of biological functions. It is a potent inducer of the acute phase response. Plays an essential role in the final differentiation of B-cells into Ig-secreting cells Involved in lymphocyte and monocyte differentiation. Acts on B-cells, T-cells, hepatocytes, hematopoietic progenitor cells and cells of the CNS. Required for the generation of T(H)17 cells. Also acts as a myokine. It is discharged into the bloodstream after muscle contraction and acts to increase the breakdown of fats and to improve insulin resistance. It induces myeloma and plasmacytoma growth and induces nerve cells differentiation. [UniProt]

Highlight Related products:

<u>IL6 antibodies</u>; <u>IL6 ELISA Kits</u>; <u>IL6 recombinant proteins</u>;

Related news:


HMGB1 in inflammation Inflammatory Cytokines

New ELISA data calculation tool: Simplify the ELISA analysis by GainData

PTM N- and O-glycosylated. [UniProt]

Cellular Localization Secreted. [UniProt]

#### **Images**



#### ARG82039 Monkey IL6 ELISA Kit standard curve image

ARG82039 Monkey IL6 ELISA Kit results of a typical standard run with optical density reading at 450 nm.