

ARG82483 Mouse Apolipoprotein H ELISA Kit

Package: 96 wells Store at: 4°C

Component

Cat. No.	Component Name	Package	Temp
ARG82483-001	Antibody-coated microplate	8 X 12 strips	4°C. Unused strips should be sealed tightly in the air-tight pouch.
ARG82483-002	Standard	2 X 10 ng/vial	4°C
ARG82483-003	Standard/Sample diluent	30 ml (Ready to use)	4°C
ARG82483-004	Antibody conjugate concentrate (100X)	1 vial (100 μl)	4°C
ARG82483-005	Antibody diluent buffer	12 ml (Ready to use)	4°C
ARG82483-006	HRP-Streptavidin concentrate (100X)	1 vial (100 μl)	4°C
ARG82483-007	HRP-Streptavidin diluent buffer	12 ml (Ready to use)	4°C
ARG82483-008	25X Wash buffer	20 ml	4°C
ARG82483-009	TMB substrate	10 ml (Ready to use)	4°C (Protect from light)
ARG82483-010	STOP solution	10 ml (Ready to use)	4°C
ARG82483-011	Plate sealer	4 strips	Room temperature

Summary

Product Description	ARG82483 Mouse Apolipoprotein H ELISA Kit is an Enzyme Immunoassay kit for the quantification of Mouse Apolipoprotein H in serum, plasma (EDTA, heparin) and cell culture supernatants.	
Tested Reactivity	Ms	
Tested Application	ELISA	
Target Name	Apolipoprotein H	
Conjugation	HRP	
Conjugation Note	Substrate: TMB and read at 450 nm.	
Sensitivity	156 pg/ml	
Sample Type	Serum, plasma (EDTA, heparin) and cell culture supernatants.	
Standard Range	312 - 20000 pg/ml	
Sample Volume	100 μΙ	
Precision	Intra-Assay CV: 4.8% Inter-Assay CV: 6.3%	

Application Instructions


Assay Time	~ 5 hours		

Properties

Form	96 well
Storage instruction	Store the kit at 2-8°C. Keep microplate wells sealed in a dry bag with desiccants. Do not expose test reagents to heat, sun or strong light during storage and usage. Please refer to the product user manual for detail temperatures of the components.
Note	For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol	АРОН
Gene Full Name	apolipoprotein H (beta-2-glycoprotein I)
Background	Apolipoprotein H has been implicated in a variety of physiologic pathways including lipoprotein metabolism, coagulation, and the production of antiphospholipid autoantibodies. APOH may be a required cofactor for anionic phospholipid binding by the antiphospholipid autoantibodies found in sera of many patients with lupus and primary antiphospholipid syndrome, but it does not seem to be required for the reactivity of antiphospholipid autoantibodies associated with infections. [provided by RefSeq, Jul 2008]
Function	Binds to various kinds of negatively charged substances such as heparin, phospholipids, and dextran sulfate. May prevent activation of the intrinsic blood coagulation cascade by binding to phospholipids on the surface of damaged cells. [UniProt]
Highlight	Related products: <u>Apolipoprotein antibodies:</u> <u>Apolipoprotein ELISA Kits:</u> New ELISA data calculation tool: <u>Simplify the ELISA analysis by GainData</u>
PTM	N- and O-glycosylated. PubMed:6587378 also reports glycosylation on 'Asn-188' for their allele. [UniProt]
Cellular Localization	Secreted. [UniProt]



ARG82483 Mouse Apolipoprotein H ELISA Kit standard curve image

ARG82483 Mouse Apolipoprotein H ELISA Kit results of a typical standard run with optical density reading at 450 nm.