

## ARG82579 Human BDNF ELISA Kit

Package: 96 wells  
Store at: 4°C

### Component

Cat. No.	Component Name	Package	Temp
ARG82579-001	Antibody-coated microplate	8 X 12 strips	4°C. Unused strips should be sealed tightly in the air-tight pouch.
ARG82579-002	Standard	2 X 10 ng/vial	4°C
ARG82579-003	Standard/Sample diluent	30 ml (Ready to use)	4°C
ARG82579-004	Antibody conjugate concentrate (100X)	1 vial (100 µl)	4°C
ARG82579-005	Antibody diluent buffer	12 ml (Ready to use)	4°C
ARG82579-006	HRP-Streptavidin concentrate (100X)	1 vial (100 µl)	4°C
ARG82579-007	HRP-Streptavidin diluent buffer	12 ml (Ready to use)	4°C
ARG82579-008	25X Wash buffer	20 ml	4°C
ARG82579-009	TMB substrate	10 ml (Ready to use)	4°C (Protect from light)
ARG82579-010	STOP solution	10 ml (Ready to use)	4°C
ARG82579-011	Plate sealer	4 strips	Room temperature

### Summary

Product Description	ARG82579 Human BDNF ELISA Kit is an Enzyme Immunoassay kit for the quantification of Human BDNF in serum, plasma (EDTA, heparin, citrate), cell culture supernatants and cell lysates.
Tested Reactivity	Hu
Tested Application	ELISA
Specificity	There is no detectable cross-reactivity with other relevant proteins.
Target Name	BDNF
Conjugation	HRP
Conjugation Note	Substrate: TMB and read at 450 nm.
Sensitivity	15.6 pg/ml
Sample Type	Serum, plasma (EDTA, heparin, citrate), cell culture supernatants and cell lysates.
Standard Range	31.2 - 2000 pg/ml
Sample Volume	100 µl

Precision	Intra-Assay CV: 5.4% Inter-Assay CV: 6.4%
Alternate Names	Brain-derived neurotrophic factor; Abrineurin; BULN2; ANON2; BDNF

## Application Instructions


Assay Time	~ 5 hours
------------	-----------

## Properties

Form	96 well
Storage instruction	Store the kit at 2-8°C. Keep microplate wells sealed in a dry bag with desiccants. Do not expose test reagents to heat, sun or strong light during storage and usage. Please refer to the product user manual for detail temperatures of the components.
Note	For laboratory research only, not for drug, diagnostic or other use.

## Bioinformation

Gene Symbol	BDNF
Gene Full Name	brain-derived neurotrophic factor
Background	The protein encoded by this gene is a member of the nerve growth factor family. It is induced by cortical neurons, and is necessary for survival of striatal neurons in the brain. Expression of this gene is reduced in both Alzheimer's and Huntington disease patients. This gene may play a role in the regulation of stress response and in the biology of mood disorders. Multiple transcript variants encoding distinct isoforms have been described for this gene. [provided by RefSeq, Jan 2009]
Function	During development, promotes the survival and differentiation of selected neuronal populations of the peripheral and central nervous systems. Participates in axonal growth, pathfinding and in the modulation of dendritic growth and morphology. Major regulator of synaptic transmission and plasticity at adult synapses in many regions of the CNS. The versatility of BDNF is emphasized by its contribution to a range of adaptive neuronal responses including long-term potentiation (LTP), long-term depression (LTD), certain forms of short-term synaptic plasticity, as well as homeostatic regulation of intrinsic neuronal excitability. [UniProt]
Highlight	Related products: <a href="#">BDNF antibodies</a> ; <a href="#">BDNF ELISA Kits</a> ; <a href="#">BDNF recombinant proteins</a> ; Related news: <a href="#">The role of HDGF in tumor angiogenesis</a> New ELISA data calculation tool: <a href="#">Simplify the ELISA analysis by GainData</a>
PTM	The propeptide is N-glycosylated and glycosulfated.  Converted into mature BDNF by plasmin (PLG). [UniProt]
Cellular Localization	Secreted. Note: A proportion of BDNF is secreted as immature precursor (proBDNF). [UniProt]



ARG82579 Human BDNF ELISA Kit standard curve image

ARG82579 Human BDNF ELISA Kit results of a typical standard run with optical density reading at 450 nm.