

Product datasheet

info@arigobio.com

ARG83351 Human GM-CSF ELISA Kit

Package: 96 wells Store at: 4°C; -20°C

Component

Cat. No. Component Name Package Temp
ARG83351-01 Antibody Coated 8 X 12 strips 4°C Microplate
ARG83351-02 Standard 3 vials 4°C (Lyophilized)
ARG83351-03 100X Antibody 120 µl ≤ -20°C Conjugate Concentrate
ARG83351-04 1000X HRP- 15 μ l 4°C Streptavidin solution
ARG83351-05 Standard / Sample 20 ml 4°C Diluent Buffer
ARG83351-06 Antibody Diluent 35 ml 4°C Buffer
ARG83351-07 10X Wash Buffer 50 ml 4°C
ARG83351-08 TMB substrate 12 ml 4°C (protect from light)
ARG83351-09 STOP solution 12 ml 4°C

Summary

7	
Product Description	ARG83351 Human GM-CSF ELISA Kit is an Enzyme Immunoassay kit for the quantification of Human GM-CSF in Serum, Plasma and Cell culture supernatants.
Tested Reactivity	Hu
Tested Application	ELISA
Target Name	GM-CSF
Conjugation	HRP
Conjugation Note	Substrate: TMB and read at 450 nm.
Sensitivity	3.9 pg/ml
Sample Type	Serum, Plasma, Cell culture supernatants
Standard Range	7.8 - 500 pg/ml
Sample Volume	50 μΙ
Precision	CV:
Alternate Names	GM-CSF; Granulocyte-macrophage colony-stimulating factor; CSF; GMCSF; Molgramostin; Colony-stimulating factor; Sargramostim

Application Instructions

Assay Time 4.5 hours

Properties

Form 96 well

Storage instruction Store the kit at 2-8°C. Keep microplate wells sealed in a dry bag with desiccants. Do not expose test

reagents to heat, sun or strong light during storage and usage. Please refer to the product user manual

for detail temperatures of the components.

Note For laboratory research only, not for drug, diagnostic or other use.

Bioinformation

Gene Symbol CSF2

Gene Full Name colony stimulating factor 2 (granulocyte-macrophage)

Background The protein encoded by this gene is a cytokine that controls the production, differentiation, and

function of granulocytes and macrophages. The active form of the protein is found extracellularly as a homodimer. This gene has been localized to a cluster of related genes at chromosome region 5q31, which is known to be associated with interstitial deletions in the 5q- syndrome and acute myelogenous leukemia. Other genes in the cluster include those encoding interleukins 4, 5, and 13. [provided by

RefSeq, Jul 2008]

Function Cytokine that stimulates the growth and differentiation of hematopoietic precursor cells from various

lineages, including granulocytes, macrophages, eosinophils and erythrocytes. [UniProt]

Highlight Related products:


GM-CSF antibodies; GM-CSF ELISA Kits; GM-CSF Duos / Panels; GM-CSF recombinant proteins;

Related news:

HMGB1 in inflammation
Inflammatory Cytokines
New ELISA data calculation tool:
Simplify the ELISA analysis by GainData

Cellular Localization Secreted. [UniProt]

Images



ARG83351 Human GM-CSF ELISA Kit standard curve image

ARG83351 Human GM-CSF ELISA Kit results of a typical standard run with optical density reading at 450 nm.